



CORPORATE HEADQUARTERS

P.O. BOX 2069, BELLINGHAM, WA, U.S.A.

TELEPHONE: (360) 647-0801 • FAX: (360) 676-1075

Introducing the Grizzly Model G0714 51" x 41" Industrial Blast Cabinet



MACHINE HIGHLIGHTS (see *Machine Data Sheet* for full specifications)

- Pneumatic-assisted front-loading door with natural rubber and vinyl blast gloves.
- Extra-rugged foot control valve and variable air pressure regulator.
- Built-in dust collector maintains cabinet interior visibility.
- Internal 110V fluorescent lighting provides shadow-free work environment.
- Four ceramic tips included for the easy-to-use blast gun.
- Heavy-duty welded steel construction with power coated paint inside and out.

The Model G0714 Industrial Blast Cabinet is available for \$1,150. As with all Grizzly products, the Model G0714 is covered by a one-year warranty. For more information call 1-800-523-4777 or visit www.grizzly.com.



MACHINE DATA SHEET

Customer Service #: (570) 546-9663 • To Order Call: (800) 523-4777 • Fax #: (800) 438-5901

MODEL G0714 INDUSTRIAL BLAST CABINET

Product Dimensions:

Width51-1/2 in.
 Depth..... 47 in.
 Height.....69-1/2 in.
 Foot Print (Length/Width).....24 in. x 47-1/2 in.
 Weight 352 lbs.

Shipping Dimensions:

Type Wood Case
 Content..... Machine
 Weight 436 lbs.
 Length/Width/Height..... 53 in. x 38 in. x 42 in.

Electrical:

Required Power Supply 110V
 Switch.....Sealed ON/OFF Rocker Switch
 Switch Voltage 110V
 Cord Length6 ft.
 Cord Gauge14 gauge
 Recommended Circuit Size 15 Amp
 Plug IncludedYes
 Plug Type.....5-15
 Number of Lamps 4
 Lighting Type 36 in., 26 Watt T5 Fluorescent

Dust Collector Motor:

Type Universal Brush Type
 Horsepower..... 1-1/2 HP
 Voltage..... 110V
 Amps 11A
 Cycle 50/60 Hz

Operation Information:

Suggested Operating Air Pressure Range60-125 PSI
 Maximum Air Pressure..... 125 PSI
 Recommended Air Supply5-35 CFM
 Maximum Abrasive Capacity 250 lbs.
 Suggested Abrasive Capacity..... 55 lbs.
 Abrasive TypeDry Only
 Load & Unload Access Front
 Design Type.....Floor Model

General Specifications:

Body Construction..... Welded Heavy-Duty Steel
Dust Collector Filter Dimensions 6-3/4 in. Dia. x 12 in. Tall
Dust Collector Filter TypePleated
Dust Collector Filter Rating..... 5 Microns
Paint Powder Coated Inside and Out
Blast Compartment Door 37-1/2 in. Wide x 29-1/4 in. Tall

Other Specifications:

Country Of Origin China
Warranty..... 1 Year
Serial Number Location ID Label on Front Center of the Cabinet
Assembly Time 60 Minutes

Features:

Front loading door
Natural rubber/vinyl blast gloves
Blast gun includes 4 ceramic tips
Perforated steel work table
Powder coated paint inside and out
12 gauge steel legs (16 guage panels)
Extra-rugged, heavy-duty foot valve assembly
Internal flourescent lighting system