



# MACHINE DATA SHEET

Customer Service #: (570) 546-9663 · To Order Call: (800) 523-4777 · Fax #: (800) 438-5901

## MODEL G1014ZX COMBINATION SANDER WITH CABINET STAND

### Product Dimensions:

Weight..... 148 lbs.  
Width (side-to-side) x Depth (front-to-back) x Height..... 30 x 24 x 56 in.  
Footprint (Length x Width)..... 15 x 16-1/2 in.

### Shipping Dimensions:

#### Carton #1

Type..... Cardboard  
Content..... Machine  
Weight..... 104 lbs.  
Length x Width x Height..... 19 x 28 x 15 in.

#### Carton #2

Type..... Cardboard  
Content..... Stand  
Weight..... 52 lbs.  
Length x Width x Height..... 20 x 17 x 28 in.

### Electrical:

Minimum Circuit Size..... 20 amp  
Switch..... Safety Key Type  
Switch Voltage..... 110V  
Cord Length..... 8-1/2 ft.  
Cord Gauge..... 16 gauge  
Plug Included..... Yes

### Motors:

#### Main

Type..... TEFC Capacitor Start Induction  
Horsepower..... 3/4 HP  
Voltage..... 110/220V  
Prewired..... 110V  
Phase..... Single  
Amps..... 12/6A  
Speed..... 3450 RPM  
Cycle..... 60 Hz  
Number of Speeds..... 1  
Power Transfer ..... Belt Drive  
Bearings..... Sealed, Permanently Lubricated

**Main Specifications:**

**Table Info**

Table Tilt.....	0 - 45 deg.
Floor To Table Height.....	37-1/2 in.
Miter Gauge Slot Width.....	3/4 in.
Miter Gauge Slot Height.....	13/32 in.
Disc Table Length.....	12-1/4 in.
Disc Table Width.....	6 in.
Disc Table Thickness.....	1 in.

**Belt Info**

Sanding Belt Width.....	6 in.
Sanding Belt Length.....	48 in.
Sanding Belt Speed.....	2300 FPM
Belt Arm Tilt.....	0 - 90 deg.
Height Belt Arm Horizontal.....	42 in.
Height Belt Arm Vertical.....	58 in.
Belt Release.....	Quick Release
Drive Roller Type.....	Aluminum
Drive Roller Length.....	6 in.
Drive Wheel Diameter.....	3-1/2 in.
Idler Roller Type.....	Aluminum
Idler Roller Length.....	6 in.
Idler Roller Diameter.....	3-1/2 in.

**Spindle Info**

Arbor Size.....	5/8 in.
Total Arbor Length.....	11-1/2 in.

**Disc Info**

Sanding Disc Diameter.....	9 in.
Sanding Disc Speed.....	3450 RPM

**Platen Info**

Platen Type.....	Graphite Coated
Platen Length.....	17 in.
Platen Width.....	6-1/4 in.
Platen Travel.....	0 - 90 deg.

**Construction**

Base.....	Cast Iron
Stand.....	Sheet Metal
Table.....	Cast Iron
Frame.....	Cast Iron
Disc.....	Cast Iron
Miter Gauge.....	Die Cast Aluminum
Paint.....	Powder Coated

**Other**

No. Of Dust Ports.....	2
Dust Port Size.....	2, 2-1/2 in.
Mobile Base.....	G8683Z

**Other Specifications:**

Country Of Origin .....	Taiwan
Warranty .....	1 Year
Serial Number Location .....	On the Stand
Customer Assembly & Setup Time .....	30 minutes

**Features:**

- Solid Cabinet Stand
- Built-in Storage Shelf
- Quick Belt Release Mechanism
- Cast Iron Table, Disc and Body