



# MACHINE DATA SHEET

Customer Service #: (570) 546-9663 · To Order Call: (800) 523-4777 · Fax #: (800) 438-5901

## MODEL G1023SL 10" TABLE SAW 3 HP SINGLE-PHASE 220V LEFT-TILT

### Product Dimensions:

Weight..... 410 lbs.  
Length/Width/Height..... 56 x 34 x 40-3/4 in.  
Foot Print (Length/Width)..... 20 x 20 in.

### Shipping Dimensions:

#### Carton #1

Type..... Cardboard  
Content..... Machine  
Weight..... 384 lbs.  
Length/Width/Height..... 29 x 31 x 41 in.

#### Carton #2

Type..... Cardboard  
Content..... Fence  
Weight..... 77 lbs.  
Length/Width/Height..... 57 x 20 x 7 in.

### Electrical:

Switch..... Heavy Duty Magnetic  
Switch Voltage..... 220V  
Cord Length..... 10 ft.  
Cord Gauge..... 10 gauge  
Minimum Circuit Size..... 20 amp  
Plug Included..... No

### Motors:

#### Main

Type..... TEFC Capacitor Start Induction  
Horsepower..... 3 HP  
Voltage..... 220V  
Prewired..... 220V  
Phase..... Single  
Amps..... 18A  
Speed..... 3450 RPM  
Cycle..... 60 Hz  
Number Of Speeds..... 1  
Power Transfer ..... Triple V-Belt Drive  
Bearings..... Shielded and Lubricated

**Main Specifications:**

**Blade Information**

Maximum Blade Diameter.....	10 in.
Maximum Width Of Dado.....	13/16 in.
Blade Tilt.....	Left 0-45 deg.
Arbor Size.....	5/8 in.
Arbor Speed.....	4200 RPM
Arbor Bearings.....	Sealed and Lubricated
Rim Speed.....	11000 FPM

**Cutting Capacities**

Maximum Depth Of Cut At 90 Degrees.....	3 in.
Maximum Depth Of Cut At 45 Degrees.....	2-1/8 in.
Maximum Rip To Right Of Blade-Standard.....	26 in.
Maximum Rip To Right Of Blade-Optional.....	52 in.
Maximum Rip To Left Of Blade.....	8 in.

**Table Information**

Floor To Table Height.....	34 in.
Table Size Length.....	20 in.
Table Size Width.....	27 in.
Table Size Thickness.....	1-3/4 in.
Table Size With Extension Wings Length.....	40-1/8 in.
Table Size With Extension Wings Width.....	27 in.
Table Size With Extension Wings Thickness.....	1-3/4 in.
Distance Front Of Table To Center Of Blade.....	17 in.
Distance Front Of Table to Blade At Maximum Cut.....	12 in.

**Fence Information**

Fence Type.....	SHOP FOX Classic
Fence Size Length.....	42 in.
Fence Size Width.....	3-15/16 in.
Fence Size Height.....	2-1/2 in.
Fence Rail Type.....	Angle Iron/Square Tubing
Fence Rail Length.....	47 in.
Fence Rail Width.....	Front 4, Rear 2-5/8 in.
Fence Rail Height.....	3 in.

**Miter Gauge Information**

Miter Gauge Slot Type.....	T-Slot
Miter Gauge Slot Size Width.....	3/4 in.
Mither Gauge Slot Size Height.....	3/8 in.

**Construction**

Table Construction.....	Precision Ground Cast Iron
Wings Construction.....	Precision Ground Cast Iron
Cabinet Construction.....	Pre-Formed Steel
Trunnions Construction.....	Cast Iron
Body Assembly Construction.....	Pre-Formed Steel
Fence Assembly Construction.....	HDPE Plastic Side Panels, Heavy Walled Rectangular Steel Tubing Body
Rails Construction.....	Steel Angle
Miter Gauge Construction.....	Cast Iron
Guard Construction.....	Steel and Clear Plastic

**Other Related Information**

Paint.....	Powder Coated
Number Of Dust Ports.....	1
Dust Port Size.....	4 in.
Long Rails.....	G9221
Mobile Base.....	G7314Z

**Other Specifications:**

Country Of Origin ..... Taiwan  
Warranty ..... 1 Year  
Serial Number Location ..... ID Label On Front of Stand, Above Grizzly Nameplate  
Assembly Time ..... 1 hour

**Features:**

- Two Cast Iron Extension Wings
- 4" Dust Port
- All Sealed Ball Bearing Construction
- Blade Guard
- Extra Large Handwheels
- Heavy Duty Miter Gauge
- Magnetic Safety Switch Protects Motor and Operator
- Hinged Motor Cover
- One Piece Steel Cabinet-Style Stand
- Powder Coated Paint
- Precision Ground Cast Iron Table with Beveled Edge
- Shop Fox Classic Table Saw Fence
- All Machined Cast Iron Internal Structure
- Two Table Inserts for Blade and Dado
- Precision Ground Cast Iron Wings
- Angled Dust Chute in Bottom of Stand
- Clear Plastic Guard with Steel Splitter
- Inboard and Outboard Arbor Bearing