



MODEL T23090 AIR WONDER GUN VACUUM KIT INSTRUCTIONS

For questions or help with this product contact Tech Support at (570) 546-9663 or techsupport@grizzly.com

Introduction

This amazing vacuum uses Venturi Effect to create a vacuum from compressed air. Here's how it works: the air enters through the handle of the "gun" and exits out the back, creating suction at the nozzle. It's just that simple!

The great part about using this as a vacuum is that it's much quieter than a standard shop vacuum (no loud motor) and it's easier to maneuver in tight areas.



Model T23090



Specifications

Operating Pressure 90 PSI
Consumption 5 SCFM
Air Inlet 1/4" NPT
Weight 1 1/2 lbs.

Inventory

	Qty
A. Hose 45"	1
B. Vacuum Gun	1
C. Nozzle	1
D. Hose Clamps 25-38mm	2
E. Collection Bag	1

⚠ WARNING

	EYE INJURY HAZARD! Always wear safety glasses when using tools powered by compressed air.
	HIGH PRESSURE HAZARD! Disconnect compressed air before cleaning, servicing, or adjusting.
	EXPLOSION HAZARD! Air supply must never exceed 120 PSI or product components may rupture.
	LUNG INJURY HAZARD! Always wear a respirator when using this tool to reduce fine dust inhalation.

Assembly

1. Install a 1/4" NPT male quick-disconnect fitting (not included) into the bottom of the vacuum "gun" handle. Be sure to wrap the threads of the air fitting 2-3 times with Teflon tape (a.k.a. Plumber's tape).
2. Connect the hose to the vacuum gun and collection bag with the provided hose clamps. (The end of the hose with a hook connects to the bag.)

Operation

1. Connect the vacuum gun to a compressed air source that is regulated to 90 PSI.
2. Pull the trigger of the gun to start suction.

COPYRIGHT © MARCH, 2011 BY GRIZZLY INDUSTRIAL, INC.

WARNING: NO PORTION OF THIS MANUAL MAY BE REPRODUCED IN ANY SHAPE OR FORM WITHOUT THE WRITTEN APPROVAL OF GRIZZLY INDUSTRIAL, INC.

#TR13991 PRINTED IN CHINA