


SECTION 10: PARTS

Please Note: We do our best to stock replacement parts whenever possible, but we cannot guarantee that all parts shown here are available for purchase. Call (800) 523-4777 or visit our online parts store at www.grizzly.com to check for availability.

Main



Main Parts List

REF	PART #	DESCRIPTION
1	PT32304001	MEAT PUSHER
2	PT32304002	CAP SCREW M6-1 X 16
3	PT32304003	PUSHER SHAFT 310MM
4	PT32304004	SHAFT SUPPORT BRACKET
5	PT32304005	KNOB BOLT M6-1 X 20, 8-LOBE, D30
6	PT32304006	TABLE 23-1/2" X 18-1/4"
7	PT32304007	FENCE
8	PT32304008	FENCE SHAFT 370MM
9	PT32304009	EXT RETAINING RING 14MM
10	PT32304010	BALL BEARING 6202RS
11	PT32304011	BLADE 5/8" X 82" 4 TPI
12	PT32304012	UPPER WHEEL 10"
13	PT32304013	INT RETAINING RING 38MM
14	PT32304014	WHEEL SHAFT M12-1.75 X 43
15	PT32304015	WHEEL COVER
16	PT32304016	HEX NUT M10-1.5
17	PT32304017	FLAT WASHER 10MM
18	PT32304018	COMPRESSION SPRING 4 X 18.5 X 42
19	PT32304019	TENSION PLATE
20	PT32304020	TRACKING PLATE
21	PT32304021	DOWEL PIN 8 X 50
22	PT32304022	RETENTION BRACKET
23	PT32304023	ROLLER BRACKET
24	PT32304024	CAP SCREW M6-1 X 10
25	PT32304025	ROLLER AXLE 10 X 34MM
26	PT32304026	ROLLER 10 X 33MM
27	PT32304027	REAR COVER
28	PT32304028	HEX NUT M8-1.25
29	PT32304029	FLAT WASHER 8MM
30	PT32304030	CAP SCREW M6-1 X 10
31	PT32304031	LOWER BLADE GUIDE
32	PT32304032	LOWER GUIDE SUPPORT BRACKET
33	PT32304033	BALL BEARING 608-2RS
34	PT32304034	CAP SCREW M8-1.25 X 25
35	PT32304035	SAW BODY
36	PT32304036	SET SCREW M8-1.25 X 16
37	PT32304037	HEX NUT M6-1
38	PT32304038	COLUMN COVER
39	PT32304039	FLAT WASHER 6MM
40	PT32304040	HEX BOLT M8-1.25 X 12

REF	PART #	DESCRIPTION
41	PT32304041	GUIDE RAIL SUPPORT BRACKET
42	PT32304042	CAP SCREW M4-.7 X 10
43	PT32304043	BLADE GUIDE RAIL
44	PT32304044	BLADE GUIDE SUPPORT BRACKET
45	PT32304045	SUPPORT BEARING PIN 10 X 34MM
46	PT32304046	BALL BEARING 6200-2RS
47	PT32304047	EXT RETAINING RING 10MM
48	PT32304048	BLADE GUIDE BRACKET
49	PT32304049	BLADE GUIDE
50	PT32304050	BLADE GUARD
51	PT32304051	HEX NUT M12-1.75
52	PT32304052	LOCK WASHER 12MM
53	PT32304053	BALL BEARING 6005ZZ
54	PT32304054	WHEEL PULLEY
55	PT32304055	V-BELT A-1000
56	PT32304056	LOWER WHEEL 10"
57	PT32304057	HEX BOLT M6-1 X 25
58	PT32304058	WHEEL SUPPORT PLATE
59	PT32304059	BUSHING 19.5ID X 27OD X 30L
60	PT32304060	BUSHING 19ID X 28.5OD X 30.5L
61	PT32304061	HEX BOLT M8-1.25 X 20
62	PT32304062	KEY 6 X 6 X 70
63	PT32304063	MEAT GRINDER SPINDLE
64	PT32304064	ROLL PIN 4 X 40
65	PT32304065	BALL BEARING 6203ZZ
66	PT32304066	MEAT GRINDER MOUNTING BRACKET
67	PT32304067	FOLDING HANDLE 11 X 74, M10-1.5 X 18
68	PT32304068	HOPPER FUNNEL
69	PT32304069	BUSHING 22.5ID X 35OD X 15L
70	PT32304070	AUGER
71	PT32304071	AUGER SCREW M8-1.25 X 29
72	PT32304072	REAMER
73	PT32304073	GRINDING PLATE 3/16"
74	PT32304074	LOCKING COLLAR
75	PT32304075	COLLAR GASKET 3.25 X 63.5 X 70
76	PT32304076	SAUSAGE STUFFER
77	PT32304077	LOCK WASHER 8MM
78	PT32304078	STAND TOP
79	PT32304079	SET SCREW M8-1.25 X 12
80	PT32304080	MOTOR PULLEY



Main Parts List (Cont.)

REF	PART #	DESCRIPTION
81	PT32304081	MOTOR 3/4 HP 120V 1-PH
81-1	PT32304081-1	R CAPACITOR 35M 250V 1-1/2 X 2-7/8
81-2	PT32304081-2	BALL BEARING 6203ZZ
81-3	PT32304081-3	MOTOR FAN
81-4	PT32304081-4	FAN COVER
81-5	PT32304081-5	MOTOR JUNCTION BOX
81-6	PT32304081-6	STRAIN RELIEF TYPE-3 M18-2.5
82	PT32304082	MOTOR MOUNT
83	PT32304083	UPPER BRACE
84	PT32304084	SWITCH HOUSING
85	PT32304085	ON/OFF SWITCH GAOYOU KJD6 250V
86	PT32304086	MEAT GRINDER COVER
87	PT32304087	PHLP HD SCR M4-.7 X 6
88	PT32304088	CABLE BOOT 8 X 18MM
89	PT32304089	POWER CORD 14G 3W 72" 5-15P
90	PT32304090	LOCK WASHER 4MM
91	PT32304091	TERMINAL LUG 18AWG
92	PT32304092	EXT TOOTH WASHER 4MM
93	PT32304093	CARRIAGE BOLT M8-1.25 X 16
94	PT32304094	FLAT WASHER 12MM
95	PT32304095	SIDE BRACE
96	PT32304096	STAND COVER
97	PT32304097	ROLL PIN 3 X 16
98	PT32304098	TAP SCREW M2.2 X 12
99	PT32304099	STAND LEG
100	PT32304100	STUD-SE M10-1.5 X 104, 54
101	PT32304101	TAP SCREW M4.2 X 13
102	PT32304102	RUBBER FOOT
103	PT32304103	HEX BOLT M6-1 X 20
104	PT32304104	HEX NUT M5-.8
105	PT32304105	LOCK WASHER 5MM
106	PT32304106	FLAT WASHER 5MM
107	PT32304107	TABLE SLIDE RAIL (LEFT)

REF	PART #	DESCRIPTION
108	PT32304108	TABLE SUPPORT BEAM
109	PT32304109	TABLE SLIDE RAIL (RIGHT)
110	PT32304110	SHAFT HANDLE
111	PT32304111	PULLEY GUARD
112	PT32304112	FLAT WASHER 4MM
113	PT32304113	SWITCH COVER, FRONT
114	PT32304114	COVER SEAL
115	PT32304115	TERMINAL BLOCK PA10-2P
116	PT32304116	TAP SCREW M2.9 X 20
117	PT32304117	SWITCH HOUSING GASKET
118	PT32304118	RUBBER GROMMET 12MM
119	PT32304119	SWITCH COVER, REAR
120	PT32304120	CORD CLAMP
121	PT32304121	CAP SCREW M5-.8 X 10
122	PT32304122	CAP SCREW M5-.8 X 16
123	PT32304123	FRICTION PAD
124	PT32304124	CAP SCREW M6-1 X 35
125	PT32304125	BEARING SEAT
126	PT32304126	MOTOR CORD 18G 3W 18" 5-15P
127	PT32304127	KEY 5 X 5 X 30
128	PT32304128	CABLE HOLDER
129	PT32304129	MOTOR CORD 18G 3W 24" 5-15 (FEMALE)
130	PT32304130	SOCKET GUARD
131	PT32304131	CARRIAGE BOLT M8-1.25 X 16
132	PT32304132	GROMMET 45 X 57 X 6MM
133	PT32304133	KNOB M5-.8, D15, BALL
134	PT32304134	TABLE LOCK SUPPORT BRACKET
135	PT32304135	COMPRESSION SPRING 0.7 X 8.7 X 18
136	PT32304136	PHLP HD SCR M4-.7 X 16
137	PT32304137	CATCH TAB
138	PT32304138	TABLE LOCK PIN
139	PT32304139	DOOR LATCH



Labels & Cosmetics

T32304

grizzly.com



MODEL T32304
10" 3/4 HP MEAT CUTTING BANDSAW



Specifications

Motor: 3/4 HP, 120V, 1-Phi, 60 Hz
Full-Load Current Rating: 4.8A
Blade Speed: 933 FPM
Blade Length: 82"
Blade Width: 5/8"
Maximum Cutting Width: 6-3/8"
Maximum Cutting Height: 9-3/8"
Table Length: 25-1/2"
Table Width: 16-1/4"
Floor-to-Table Height: 33-7/8"
Wheel Diameter: 10"
Wheel Width: 1"
Weight: 94 lbs.

WARNING!

To reduce risk of serious injury when using this machine:

1. Read and understand owner's manual before operating.
2. Never touch moving blade—keep hands out of blade path and never force the cut.
3. Always wear approved eye protection.
4. Only plug power cord into a grounded outlet.
5. Clean and sanitize machine after every use.
6. Only remove jammed cut-off pieces when blade is stopped.
7. Use attached push-through tool to complete all cuts.
8. Turn motor OFF and disconnect power before changing blades, making adjustments, cleaning, or servicing.
9. Maintain proper adjustment of blade tension, tracking, and guides.
10. Keep upper guide adjusted to just clear the workpiece.
11. Hold workpiece firmly against table to maintain control.
12. Only run saw with wheel covers closed and guards in place.
13. Never reach under table while blade is in motion.
14. DO NOT wear loose clothing, gloves, jewelry, or other articles that can get entangled.
15. The back long hair and roll up sleeves.
16. DO NOT expose to rain or use in wet locations.
17. Prevent unauthorized use by children or untrained users; restrict access or disable machine when unattended.



REF	PART #	DESCRIPTION
200	PT32304200	TOUCH-UP PAINT, GLOSS BLACK
201	PT32304201	TOUCH-UP PAINT, GRIZZLY GREEN
202	PT32304202	BANDSAW BLADE LABEL
203	PT32304203	COVER CLOSED LABEL
204	PT32304204	GRIZZLY.COM LABEL
205	PT32304205	MODEL NUMBER LABEL
206	PT32304206	MACHINE ID LABEL

REF	PART #	DESCRIPTION
207	PT32304207	SAFETY GLASSES LABEL
208	PT32304208	DOOR CLOSED LABEL
209	PT32304209	ELECTRICITY LABEL
210	PT32304210	DISCONNECT 110V LABEL
211	PT32304211	MEAT GRINDER LABEL
212	PT32304212	REMOVE GRINDER LABEL
213	PT32304213	READ MANUAL LABEL

! WARNING

Safety labels help reduce the risk of serious injury caused by machine hazards. If any label comes off or becomes unreadable, the owner of this machine **MUST** replace it in the original location before resuming operations. For replacements, contact (800) 523-4777 or www.grizzly.com.

