

Grizzly Industrial®

CORPORATE HEADQUARTERS

P.O. BOX 2069, BELLINGHAM, WA, U.S.A.

TELEPHONE: (360) 647-0801 • FAX: (360) 676-1123

June, 2019

Introducing the Grizzly Model G0865 8" Bench Grinder with LED Lights



New!

MACHINE HIGHLIGHTS (see *Machine Data Sheet* for full specifications)

- 1/2 HP, 120V, single-phase, 4.8A motor.
- Dual adjustable-angle LED lights integrated into safety shields.
- Adjustable tool rests.
- Left tool rest grooved for drill bit grinding.
- Comes with 36-grit and 60-grit aluminum-oxide grinding wheels.
- Weighs approximately 30 lbs.

The Model G0865 is available for \$89.95 and is covered by a one-year warranty. For more information call **1-800-523-4777** or visit **www.grizzly.com**.

Due to rapidly changing market conditions our prices may be increased at any time without prior notice. Our website is updated with any changes as they occur.



MACHINE DATA SHEET

Customer Service #: (570) 546-9663 · To Order Call: (800) 523-4777 · Fax #: (800) 438-5901

MODEL G0865 8" BENCH GRINDER WITH LED LIGHTS

Product Dimensions:

Weight..... 30 lbs.
 Width (side-to-side) x Depth (front-to-back) x Height..... 15-1/2 x 13-1/2 x 15 in.
 Footprint (Length x Width)..... 9 x 6-1/2 in.

Shipping Dimensions:

Type..... Cardboard
 Content..... Machine
 Weight..... 32 lbs.
 Length x Width x Height..... 18 x 14 x 13 in.

Electrical:

Power Requirement..... 120V, Single-Phase, 60 Hz
 Full-Load Current Rating..... 4.8A
 Minimum Circuit Size..... 15A
 Connection Type..... Cord and Plug
 Power Cord Included..... Yes
 Power Cord Length..... 6 ft.
 Power Cord Gauge..... 18 AWG
 Included Plug Type..... 5-15
 Switch Type..... Rocker

Motors:

Main

Horsepower..... 1/2 HP
 Phase..... Single-Phase
 Amps..... 4.8A
 Speed..... 3450 RPM
 Type..... Permanent Split Capacitor
 Power Transfer..... Direct Drive
 Bearings..... Shielded & Permanently Lubricated

Main Specifications:

Operation Info

Wheel Type..... Type 1
 Right Wheel Grit..... 36-Grit
 Left Wheel Grit..... 60-Grit
 Wheel Material..... Aluminum Oxide
 Wheel Diameter..... 8 in
 Wheel Thickness..... 1 in

Construction

Base..... Cast Aluminum
 Body..... Cast Aluminum
 Work Rest..... Cast Aluminum

Other Specifications:

Country of Origin China
Warranty 1 Year
Approximate Assembly & Setup Time 15 Minutes
Serial Number Location Machine ID Label
ISO 9001 Factory No
Certified by a Nationally Recognized Testing Laboratory (NRTL) No

Features:

- Dual LED's Integrated into Eye Shields
- Adjustable Tool Rest
- Left Tool Rest Grooved for Drill Bits
- Includes 36-Grit & 60-Grit Grinding Wheels