



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

## 1 Identification

- **Product Identifier**
- **Trade name: G96 Gun Oil**
- **Product Number:** 1054, 1054G, 1054-Drum
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description** Cleaner, Lubricant, and Preservative for firearms.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
G96 Products Inc.  
85 5th Ave Bldg 6  
Paterson, NJ 07524  
973-684-4050 ph  
973-684-3848 fx  
Website: www.g96.com  
Email: info@g96.com
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

## 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



GHS08 Health hazard

Asp. Tox. 1      H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

STOT SE 3      H336 May cause drowsiness or dizziness.

Flam. Liq. 4      H227 Combustible liquid.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements:**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS07 GHS08

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

Distillates (petroleum), hydrotreated light

- **Hazard statements:**

H227 Combustible liquid.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

**Trade name: G96 Gun Oil**

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

- P210 Keep away from flames and hot surfaces. – No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves / eye protection / face protection.
- P273 Avoid release to the environment.
- P264 Wash thoroughly after handling.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P362 Take off contaminated clothing.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P331 Do NOT induce vomiting.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P405 Store locked up.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

**Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme**NFPA ratings (scale 0 - 4)****HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	2	Fire = 2
REACTIVITY	0	Reactivity = 0

**Hazard(s) not otherwise classified (HNOC):** None known**3 Composition/Information on Ingredients****Non-hazardous components:**

Proprietary blend of non-hazardous synthetic oils	70-90%
---	--------

**Chemical characterization: Mixtures****Description:** Mixture of substances listed below with non-hazardous additions.**Dangerous Components:**

64742-47-8	Distillates (petroleum), hydrotreated light	10-30%
	⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336; Flam. Liq. 4, H227	

**Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(Contd. on page 3)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

Trade name: G96 Gun Oil

### 4 First-Aid Measures

- **Description of first aid measures:**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation occurs, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water.  
If eye irritation occurs, consult a doctor.
- **After swallowing:**  
Do not induce vomiting; immediately call for medical help.  
May be harmful if ingested. Can cause respiratory depression and could be fatal. Call a physician or poison control center immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### 5 Fire-Fighting Measures

- **Extinguishing media:**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:**  
Combustible liquid. Vapors can travel to a source of ignition and flash back.  
Explosive mixtures may occur at temperatures at or above flashpoint.
- **Advice for firefighters:**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

**PAC-1:**

None of the ingredients are listed.

(Contd. on page 4)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

**Trade name: G96 Gun Oil****· PAC-2:**

None of the ingredients are listed.

**· PAC-3:**

None of the ingredients are listed.

**7 Handling and Storage****· Handling****· Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**· Information about protection against explosions and fires:** No special measures required.**· Conditions for safe storage, including any incompatibilities:****· Storage****· Requirements to be met by storerooms and receptacles:** Store in the original container.**· Information about storage in one common storage facility:** Not required.**· Further information about storage conditions:** None.**· Specific end use(s):** No further relevant information available.**8 Exposure Controls/Personal Protection****· Additional information about design of technical systems:** No further data; see section 7.**· Control parameters:****· Components with occupational exposure limits:****64742-47-8 Distillates (petroleum), hydrotreated light**OSHA PEL Long-term value: 5 mg/m<sup>3</sup>**· Additional information:** The lists that were valid during the creation of this SDS were used as basis.**· Exposure controls:****· Personal protective equipment:****· General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

**· Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

**· Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

**· Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 5)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

**Trade name: G96 Gun Oil**

resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

**· Eye protection:**

Goggles recommended during refilling.

### 9 Physical and Chemical Properties

**· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:**

Oily

**Color:**

See product specification

**· Odor:**

Mild

**· Odor threshold:**

Not determined.

**· pH-value:**

Not determined.

**· Change in condition****Melting point/Melting range:**

Not determined.

**Boiling point/Boiling range:**

213 °C (415 °F)

**· Flash point:**

61 °C (142 °F)

**· Flammability (solid, gaseous):**

Not applicable.

**· Ignition temperature:**

210 °C (410 °F)

**· Decomposition temperature:**

Not determined.

**· Auto igniting:**

Product is not self-igniting.

**· Danger of explosion:**

Not determined.

**· Explosion limits:****Lower:**

0.5 Vol %

**Upper:**

6.5 Vol %

**· Vapor pressure @ 20 °C (68 °F):**

2 hPa (2 mm Hg)

**· Density:**

Not determined.

**· Relative density:**

Not determined.

**· Vapor density:**

Not determined.

**· Evaporation rate:**

Not determined.

**· Solubility in / Miscibility with:****Water:**

Not miscible or difficult to mix.

**· Partition coefficient (n-octanol/water):** Not determined.**· Viscosity:****Dynamic:**

Not determined.

**Kinematic:**

Not determined.

(Contd. on page 6)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

**Trade name: G96 Gun Oil**

- **Solvent content:**
  - Organic solvents:** 20.0 %
  - VOC content:** 20.0 %
  - 200.0 g/l / 1.67 lb/gl
- **Other information:** No further relevant information available.

**10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>64742-47-8 Distillates (petroleum), hydrotreated light</b>		
Oral	LD50	>5000 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (Rabbit)

- **Primary irritant effect:**

- **On the skin:** Irritant to skin and mucous membranes.

- **On the eye:** No irritating effect.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- **Carcinogenic categories:**

· <b>IARC (International Agency for Research on Cancer):</b>
None of the ingredients are listed.

· <b>NTP (National Toxicology Program):</b>
None of the ingredients are listed.

· <b>OSHA-Ca (Occupational Safety &amp; Health Administration):</b>
None of the ingredients are listed.

**12 Ecological Information**

- **Toxicity:**

- **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

· <b>64742-47-8 Distillates (petroleum), hydrotreated light</b>		
EC50	25 mg/l	(Trout) (OECD Test Guideline 203, 96 hour, Static Test)

- **Persistence and degradability:** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential:** No further relevant information available.

(Contd. on page 7)



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

**Trade name: G96 Gun Oil**

- **Mobility in soil:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.  
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

## 13 Disposal Considerations

- **Waste treatment methods:**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

## \* 14 Transport Information

- **UN-Number:**
- **DOT** NA1993
- **ADR, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:** Not Regulated for Transportation
- **DOT** COMBUSTIBLE LIQUID, N.O.S
- **ADR, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT**



- **Class:** 3 Combustible liquids
  - **Label:** 3
- 
- **ADR**

- **Class:** Non-Regulated Material
- **Label:** -
- **ADN/R Class:** Non-Regulated Material

(Contd. on page 8)



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

Trade name: G96 Gun Oil

· **IMDG, IATA**

- **Class:** Non-Regulated Material
- **Label:** -
- **Packing group:**
- **DOT** III
- **ADR, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Transport/Additional information:**
- **DOT**
- **Quantity limitations:** On passenger aircraft/rail: 60 L  
On cargo aircraft only: 220 L
- **UN "Model Regulation":** Non-Regulated Material

## 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· <b>Section 355 (extremely hazardous substances):</b>	None of the ingredients are listed.
· <b>Section 313 (Specific toxic chemical listings):</b>	None of the ingredients are listed.
· <b>TSCA (Toxic Substances Control Act):</b>	64742-47-8 Distillates (petroleum), hydrotreated light
· <b>California Proposition 65:</b>	
· <b>Chemicals known to cause cancer:</b>	None of the ingredients are listed.
· <b>Chemicals known to cause reproductive toxicity for females:</b>	None of the ingredients are listed.
· <b>Chemicals known to cause reproductive toxicity for males:</b>	None of the ingredients are listed.
· <b>Chemicals known to cause developmental toxicity:</b>	None of the ingredients are listed.
· <b>New Jersey Right-to-Know List:</b>	None of the ingredients are listed.
· <b>New Jersey Special Hazardous Substance List:</b>	None of the ingredients are listed.
· <b>Pennsylvania Right-to-Know List:</b>	None of the ingredients are listed.



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

**Trade name: G96 Gun Oil****· Pennsylvania Special Hazardous Substance List:**

None of the ingredients are listed.

**· Carcinogenic categories:****· EPA (Environmental Protection Agency):**

None of the ingredients are listed.

**· TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms:**

GHS07 GHS08

**· Signal word: Danger****· Hazard-determining components of labeling:**

Distillates (petroleum), hydrotreated light

**· Hazard statements:**

H227 Combustible liquid.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

**· Precautionary statements:**

P210 Keep away from flames and hot surfaces. – No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

P273 Avoid release to the environment.

P264 Wash thoroughly after handling.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P362 Take off contaminated clothing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

P302+P352 IF ON SKIN: Wash with plenty of water.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2016

Reviewed on 12/12/2016

**Trade name: G96 Gun Oil****· National regulations:**

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

**· Date of preparation / last revision:** 12/12/2016 / 2**· Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Liq. 4: Flammable liquids – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**· \* Data compared to the previous version altered.**SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106