

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/30/2015

Reviewed on 07/30/2015

\* **1 Identification**

- **Product identifier**
- **Trade name:** *Heavy Cut Compound 1000*
- **Article number:** 22984
- **Application of the substance / the mixture** Abrasive and polishing compound
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Menzerna Polishing Compounds GmbH & Co. KG  
Industriestraße 25  
76470 ÖTIGHEIM  
GERMANY  
sds@menzerna.com
- **Information department:** Product and Environmental Safety Department
- **Emergency telephone number:** +49 (0) 761 19240 (24 h)

\* **2 Hazard(s) identification**

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

\* **3 Composition/information on ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· <b>Dangerous components:</b>		
1344-28-1	aluminium oxide	25-50%
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Xn R65 R66 Asp. Tox. 1, H304; Flam. Liq. 4, H227	10-<25%

(Contd. on page 2)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/30/2015

Reviewed on 07/30/2015

Trade name: **Heavy Cut Compound 1000**

		(Contd. of page 1)
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic ⚠ Asp. Tox. 1, H304	2.5-<10%
61791-28-4	alcohols, tallow, ethoxylated ☒ Xi R38; ☒ N R50 ⚠ Skin Irrit. 2, H315	2.5-<10%
68439-49-6	Alcohols, C16-18, ethoxylated (>5-<15 EO) ☒ Xn R22; ☒ Xi R36; ☒ N R50 ⚠ Acute Tox. 4, H302; Eye Irrit. 2A, H319	0.1-≤2.5%
56-81-5	glycerol	0.1-≤2.5%

\* **4 First-aid measures**

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
Treat according to symptoms.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Water spray, foam, dry powder or carbon dioxide.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** Nitrogen oxides (NOx)
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

\* **6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/30/2015

Reviewed on 07/30/2015

Trade name: **Heavy Cut Compound 1000**

(Contd. of page 2)

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a well-ventilated place. Storage temperature: between 15 °C and 25 °C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

\* **8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

<b>Components with limit values that require monitoring at the workplace:</b>	
<b>1344-28-1 aluminium oxide</b>	
PEL	Long-term value: 15* ; 15** mg/m <sup>3</sup> *Total dust; ** Respirable fraction
REL	Long-term value: 10* 5** mg/m <sup>3</sup> as Al*Total dust**Respirable/pyro powd./welding f.
TLV	Long-term value: 1* mg/m <sup>3</sup> as Al; *as respirable fraction
<b>64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic</b>	
TWA	Long-term value: 5 mg/m <sup>3</sup>
<b>56-81-5 glycerol</b>	
PEL	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**  
Protective gloves are recommended.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/30/2015

Reviewed on 07/30/2015

Trade name: **Heavy Cut Compound 1000**

(Contd. of page 3)

- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing

\* **9 Physical and chemical properties**

· <b>Information on basic physical and chemical properties</b>	
· <b>General Information</b>	
· <b>Appearance:</b>	
Form:	Fluid
Color:	White
· <b>Odor:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.
· <b>pH-value at 20 °C (68 °F):</b>	> 7
· <b>Change in condition</b>	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 100 °C (> 212 °F)
· <b>Flash point:</b>	> 100 °C (> 212 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Density at 20 °C (68 °F):</b>	1.45 g/cm <sup>3</sup> (12.1 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
Water:	Partly miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic at 40 °C (104 °F):	> 20.5 mm <sup>2</sup> /s
· <b>Solvent content:</b>	
VOC content:	12.3 % 266.7 g/l / 2.23 lb/gl
· <b>Other information</b>	No further relevant information available.

\* **10 Stability and reactivity**

- **Reactivity** None under normal conditions.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 5)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/30/2015

Reviewed on 07/30/2015

Trade name: **Heavy Cut Compound 1000**

(Contd. of page 4)

· **Hazardous decomposition products:** No dangerous decomposition products known.

**\* 11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**64742-48-9 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rab)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**\* 12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**\* 13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.
- **Waste disposal key:**  
Waste codes should be determined in consultation with the customer, supplier and disposal.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· <b>UN-Number</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Void

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/30/2015

Reviewed on 07/30/2015

Trade name: **Heavy Cut Compound 1000**

(Contd. of page 5)

· <b>UN proper shipping name</b> · DOT, ADR, ADN, IMDG, IATA	Void
· <b>Transport hazard class(es)</b> · DOT, ADR, ADN, IMDG, IATA · <b>Class</b>	Void
· <b>Packing group</b> · DOT, ADR, IMDG, IATA	Void
· <b>Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	-

**\* 15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Regulation 1907/2006/EC, REACH concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.  
Regulation 453/2010/EU, REACH as amended.  
Regulation 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures.
- **Sara**

· <b>Section 355 (extremely hazardous substances):</b>	None of the ingredients is listed.
· <b>Section 313 (Specific toxic chemical listings):</b>	1344-28-1   aluminium oxide
· <b>TSCA (Toxic Substances Control Act):</b>	All ingredients are listed.
· <b>Proposition 65</b>	
· <b>Chemicals known to cause cancer:</b>	None of the ingredients is listed.
· <b>Chemicals known to cause reproductive toxicity for females:</b>	None of the ingredients is listed.
· <b>Chemicals known to cause reproductive toxicity for males:</b>	None of the ingredients is listed.
· <b>Chemicals known to cause developmental toxicity:</b>	None of the ingredients is listed.
· <b>Carcinogenic categories</b>	
· <b>EPA (Environmental Protection Agency)</b>	None of the ingredients is listed.
· <b>TLV (Threshold Limit Value established by ACGIH)</b>	1344-28-1   aluminium oxide   A4
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	None of the ingredients is listed.

(Contd. on page 7)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/30/2015

Reviewed on 07/30/2015

Trade name: **Heavy Cut Compound 1000**

(Contd. of page 6)

- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- R38 Irritating to skin.
- R50 Very toxic to aquatic organisms.
- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.

· **Department issuing SDS:** Product and Environmental Safety Department

· **Date of preparation / last revision** 07/30/2015 / 21

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Flam. Liq. 4: Flammable liquids, Hazard Category 4
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
- Asp. Tox. 1: Aspiration hazard, Hazard Category 1

· **\* Data compared to the previous version altered.**