

SAFETY DATA SHEET

1. Identification

Product identifier Wood Wax for Cutting Boards

Other means of identificationNot available.Recommended useWood finishRecommended restrictionsNone known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Walrus Oil®

Address 2131 W. Republic Rd. #234

Springfield, Missouri 65807

United States

Telephone 417-848-8598 Website www.walrusoil.com

E-mail customerservice@walrusoil.com

Emergency phone number 417-848-8598 Supplier See above.

2. Hazard identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
WHMIS 2015 defined hazards Not classified

While 2015 defined hazard

Hazard statement

Label elements

Hazard symbol None.
Signal word None.

Signal word None

The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

None known

Disposal Dispose of waste and residues in accordance with local authority requirements.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical Hazard(s) not otherwise

Hazard(s) not otherwise

classified (HNOC)

classified (PHNOC)

None known.

None known

Supplemental information

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure. This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations.

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

#32574 Page: 1 of 7 Issue date 08-October-2020

| | 3. Composition/Information on | |
|--|---|---|
| Mixture | | |
| Chemical name | Common name and synonyms | CAS number |
| White mineral oil | | 8042-47-5 |
| All concentrations are in percent by | y weight unless ingredient is a gas. Gas conc | • |
| Composition comments | US GHS: The exact percentage (concentral secret in accordance with paragraph (i) of § | tion) of composition has been withheld as a trade 1910.1200. |
| | *CANADA GHS: The exact percentage (cortrade secret. | ncentration) of composition has been withheld as a |
| | 4. First-aid measure | es |
| Inhalation | If symptoms develop move victim to fresh a | ir. If symptoms persist, obtain medical attention. |
| Skin contact | | water. Obtain medical attention if irritation persists. |
| Eye contact | • | ses, if applicable, and continue flushing. Obtain medica |
| Ingestion | Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention. | |
| Most important symptoms/effects, acute and delayed | Direct contact with eyes may cause tempora | ary irritation. |
| Indication of immediate medical attention and special treatment needed | Treat patient symptomatically. | |
| General information | | ow the label where possible). Show this safety data ntact with eyes and skin. Keep out of reach of children. |
| | 5. Fire-fighting measu | ires |
| Suitable extinguishing media | Foam. Dry chemicals. Carbon dioxide (CO2 | 2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as | this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may | be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full | protective clothing must be worn in case of fire. |
| Fire-fighting equipment/instructions | Cool containers exposed to heat with water | spray and remove container, if no risk is involved. |
| Specific methods | Use standard firefighting procedures and co | onsider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. | |
| Hazardous combustion products | May include and are not limited to: Oxides of | of carbon. |
| | 6. Accidental release me | asures |
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. For per | rsonal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Stop the flow of material, if this is without ris For waste disposal, see section 13 of the St | sk. Following product recovery, flush area with water. DS. |
| Environmental precautions | Avoid discharge into drains, water courses streams, ponds or public waters. | or onto the ground. Do not discharge into lakes, |
| | 7. Handling and stora | age |
| Precautions for safe handling | Use only in well-ventilated areas. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink. | |
| Conditions for safe storage, including any incompatibilities | | n. Store in tightly closed container. Store away from |

| | Occupational Health & Safety Code, Sche | dule 1, Table 2) | |
|---|--|--|--|
| Components | Туре | Value | Form |
| White mineral oil (CAS 8042-47-5) | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| Canada. British Columbi Safety Regulation 296/97 | a OELs. (Occupational Exposure Limits f ', as amended) | or Chemical Substances, C | Occupational Health and |
| Components | Туре | Value | Form |
| White mineral oil (CAS 8042-47-5) | TWA | 1 mg/m3 | Mist. |
| | (Reg. 217/2006, The Workplace Safety Ar | nd Health Act) | _ |
| Components | Туре | Value | Form |
| White mineral oil (CAS 8042-47-5) | TWA | 5 mg/m3 | Inhalable fraction. |
| • | Control of Exposure to Biological or Che | 9 / | _ |
| Components | Туре | Value | Form |
| White mineral oil (CAS 8042-47-5) | TWA | 5 mg/m3 | Inhalable fraction. |
| Canada. Quebec OELs. (Components | Ministry of Labor - Regulation respecting Type | g occupational health and s Value | afety) Form |
| White mineral oil (CAS 8042-47-5) | STEL | 10 mg/m3 | Mist. |
| (6/18/00/12/1//0) | | | |
| (0/10/00/12/17/0) | TWA | 5 mg/m3 | Mist. |
| Canada. Saskatchewan (| TWA DELs (Occupational Health and Safety Re Type | • | Mist. |
| Canada. Saskatchewan (Components White mineral oil | DELs (Occupational Health and Safety Re | egulations, 1996, Table 21) | Mist. |
| Canada. Saskatchewan (Components White mineral oil | DELs (Occupational Health and Safety Re Type | egulations, 1996, Table 21) Value | Mist. |
| Canada. Saskatchewan Components White mineral oil (CAS 8042-47-5) US. OSHA Table Z-1 Limi | DELs (Occupational Health and Safety Re Type 15 minute 8 hour its for Air Contaminants (29 CFR 1910.10 | egulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 | Mist. |
| Canada. Saskatchewan Components White mineral oil (CAS 8042-47-5) US. OSHA Table Z-1 Limit Components White mineral oil | DELs (Occupational Health and Safety Re Type 15 minute 8 hour | egulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 | |
| Canada. Saskatchewan Components White mineral oil (CAS 8042-47-5) US. OSHA Table Z-1 Limite Components White mineral oil (CAS 8042-47-5) US. ACGIH Threshold Line | DELs (Occupational Health and Safety ReType 15 minute 8 hour its for Air Contaminants (29 CFR 1910.10 Type PEL mit Values | 9gulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 00) Value 5 mg/m3 | Form Mist. |
| Canada. Saskatchewan (Components White mineral oil (CAS 8042-47-5) | DELs (Occupational Health and Safety ReType 15 minute 8 hour its for Air Contaminants (29 CFR 1910.10 Type PEL | egulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 00) Value | Form |
| Canada. Saskatchewan Components White mineral oil (CAS 8042-47-5) US. OSHA Table Z-1 Limit Components White mineral oil (CAS 8042-47-5) US. ACGIH Threshold Lin Components White mineral oil (CAS 8042-47-5) US. NIOSH: Pocket Guide | DELs (Occupational Health and Safety ReType 15 minute 8 hour its for Air Contaminants (29 CFR 1910.10 Type PEL mit Values Type TWA e to Chemical Hazards | egulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 00) Value 5 mg/m3 Value 5 mg/m3 | Form Mist. Form Inhalable fraction. |
| Canada. Saskatchewan Components White mineral oil (CAS 8042-47-5) US. OSHA Table Z-1 Limit Components White mineral oil (CAS 8042-47-5) US. ACGIH Threshold Limit Components White mineral oil (CAS 8042-47-5) US. NIOSH: Pocket Guide Components | DELs (Occupational Health and Safety ReType 15 minute 8 hour its for Air Contaminants (29 CFR 1910.10 Type PEL mit Values Type TWA e to Chemical Hazards Type | 9gulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 00) Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 | Form Mist. Form Inhalable fraction. Form |
| Canada. Saskatchewan Components White mineral oil (CAS 8042-47-5) US. OSHA Table Z-1 Limit Components White mineral oil (CAS 8042-47-5) US. ACGIH Threshold Lin Components White mineral oil (CAS 8042-47-5) | DELs (Occupational Health and Safety ReType 15 minute 8 hour its for Air Contaminants (29 CFR 1910.10 Type PEL mit Values Type TWA e to Chemical Hazards | egulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 00) Value 5 mg/m3 Value 5 mg/m3 | Form Mist. Form Inhalable fraction. |
| Canada. Saskatchewan Components White mineral oil (CAS 8042-47-5) US. OSHA Table Z-1 Limic Components White mineral oil (CAS 8042-47-5) US. ACGIH Threshold Line Components White mineral oil (CAS 8042-47-5) US. NIOSH: Pocket Guide Components White mineral oil | DELs (Occupational Health and Safety ReType 15 minute 8 hour its for Air Contaminants (29 CFR 1910.10 Type PEL mit Values Type TWA e to Chemical Hazards Type | 9gulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 00) Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 | Form Mist. Form Inhalable fraction. Form |
| Canada. Saskatchewan Components White mineral oil (CAS 8042-47-5) US. OSHA Table Z-1 Limic Components White mineral oil (CAS 8042-47-5) US. ACGIH Threshold Line Components White mineral oil (CAS 8042-47-5) US. NIOSH: Pocket Guide Components White mineral oil | DELs (Occupational Health and Safety ReType 15 minute 8 hour its for Air Contaminants (29 CFR 1910.10 Type PEL mit Values Type TWA e to Chemical Hazards Type STEL | 9gulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 00) Value 5 mg/m3 Value 5 mg/m3 Value 10 mg/m3 5 mg/m3 | Form Inhalable fraction. Form Mist. |
| Canada. Saskatchewan Components White mineral oil (CAS 8042-47-5) US. OSHA Table Z-1 Limic Components White mineral oil (CAS 8042-47-5) US. ACGIH Threshold Line Components White mineral oil (CAS 8042-47-5) US. NIOSH: Pocket Guide Components White mineral oil (CAS 8042-47-5) | DELs (Occupational Health and Safety ReType 15 minute 8 hour its for Air Contaminants (29 CFR 1910.10 Type PEL mit Values Type TWA e to Chemical Hazards Type STEL TWA | egulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 00) Value 5 mg/m3 Value 5 mg/m3 Value 10 mg/m3 the ingredient(s). | Form Inhalable fraction. Form Mist. Mist. Mist. |

8. Exposure controls/Personal protection

#32574 Page: 3 of 7 Issue date 08-October-2020

Individual protection measures, such as personal protective equipment

Eye/face protection Not normally required under normal use conditions.

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Other Wear appropriate chemical resistant clothing. As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance Paste-like compound

Physical stateSolid.FormPasteColorLight yellowOdorSlight

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Pour pointNot available.Specific gravityNot available.Partition coefficientNot available.

(n-octanol/water)

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

opper/lower naminability of explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density

Relative density

Solubility(ies)

Auto-ignition temperature

Not available.

Not available.

Not available.

Not available.

Not available.

Viscosity > 96618 cSt (@ 40.5°C) - (Kinematic)

> 100000 cPs (@ 40.5°C) - (Dynamic)

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions.

#32574 Page: 4 of 7 Issue date 08-October-2020

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals.

Strong oxidizing agents.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

IngestionMay cause stomach distress, nausea or vomiting.InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.Inptoms related to theDirect contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity Not known.

Components

White mineral oil (CAS 8042-47-5)

>

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutes Not available.

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value

Iris lesion value

Conjunctival reddening

Not available.

Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity See below.

IARC Monographs. Overall Evaluation of Carcinogenicity

White mineral oil (CAS 8042-47-5) Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity

to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Not available.

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity - Not classified.

repeated exposure

#32574 Page: 5 of 7 Issue date 08-October-2020

12. Ecological information

Ecotoxicity Not available.

LCOLOXICITY

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

Product Registration: Product is compliant with CCCR regulatory guidelines; a specific registration is not required for this product.

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

White mineral oil (CAS 8042-47-5) 1 TONNES

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

SARA 302 Extremely

hazardous substance

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

White mineral oil (CAS 8042-47-5) US - Listed.

Minnesota Haz Subs: Listed substance

White mineral oil (CAS 8042-47-5) Listed.

US - Texas Effects Screening Levels: Listed substance

White mineral oil (CAS 8042-47-5) US. Listed.

Massachusetts RTK - Substance List

White mineral oil (CAS 8042-47-5)

US. Pennsylvania Worker and Community Right-to-Know Law

White mineral oil (CAS 8042-47-5)

US. Rhode Island RTK

White mineral oil (CAS 8042-47-5) US.

California Proposition 65

Not Listed.

Inventory status


Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information







Disclaimer

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 08-October-2020

Version # 01

Effective date 08-October-2020

Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.