



MACHINE DATA SHEET

Customer Service #: (570) 546-9663 · To Order Call: (800) 523-4777 · Fax #: (800) 438-5901

MODEL G0975 1-1/2 HP TWO-STAGE QUIET SERIES CYCLONE DUST COLLECTOR

Product Dimensions:

Weight..... 386 lbs.
Width (side-to-side) x Depth (front-to-back) x Height..... 53 x 25 x 72-1/2 in.
Footprint (Length x Width)..... 48 x 23-1/2 in.

Shipping Dimensions:

Type..... Cardboard box w/Wood Skids
Content..... Machine
Weight..... 446 lbs.
Length x Width x Height..... 53 x 31 x 53 in.
Must Ship Upright..... Yes

Electrical:

Power Requirement..... 120V or 240V, Single-Phase, 60 Hz
Prewired Voltage..... 120V
Full-Load Current Rating..... 20A at 120V, 10A at 240V
Minimum Circuit Size..... 20A at 120V, 15A at 240V
Connection Type..... Cord & Plug
Power Cord Included..... Yes
Power Cord Length..... 118 in.
Power Cord Gauge..... 12 AWG
Plug Included..... Yes
Included Plug Type..... 5-20 for 120V
Recommended Plug Type..... 6-15 for 240V
Switch Type..... Control Panel w/Remote Control

Motors:

Main

Horsepower..... 1-1/2 HP
Phase..... Single-Phase
Amps..... 20A/10A
Speed..... 3450 RPM
Type..... TEFC Capacitor-Start Induction
Power Transfer Direct
Bearings..... Shielded & Permanently Lubricated
Centrifugal Switch/Contacts Type..... Internal

Filter Brush

Horsepower..... 3 Watt
Phase..... Single-Phase
Amps..... 0.8A
Speed..... 12 RPM
Type..... Universal 24 VDC
Power Transfer Direct

Main Specifications:

Operation

Dust Collector Type.....	Two-Stage (Cyclone)
Approved Dust Types.....	Wood
Filter Type.....	Pleated Cartridge & HEPA
Airflow Performance.....	1062 CFM @ 2.65 in. SP
Max Static Pressure (at 0 CFM).....	9.8 in.
Main Inlet Size.....	6 in.
Inlet Adapter Included.....	Yes
Number of Adapter Inlets.....	2
Adapter Inlet Size.....	4 in.
Machine Collection Capacity At One Time.....	2
Maximum Material Collection Capacity.....	22 Gallons

Filter Information

Number of Filters.....	2
Filtration Rating.....	99.97% @ 0.3 microns
Filter Surface Area.....	294.9 sq. ft.
Number of Primary Filters.....	1
Primary Filter Type.....	Pleated Cartridge
Primary Filter Rating.....	95% @ 0.2 - 2 microns
Primary Filter Length.....	25-1/8 in.
Primary Filter Width.....	12-7/8 in.
Number of Secondary Filters.....	1
Secondary Filter Type.....	HEPA
Secondary Filter Rating.....	99.97% @ 0.3 microns
Secondary Filter Length.....	25-1/8 in.
Secondary Filter Width.....	16-3/4 in.

Bag Information

Number Of Filter Bags.....	1
Number Of Collection Drum Bags.....	1
Filter Bag Diameter.....	12-1/4 in.
Filter Bag Length.....	16 in.
Collection Drum Bag Diameter.....	21-3/4 in.
Collection Drum Bag Length.....	37-1/2 in.

Canister Information

Number of Canister Filters.....	2
Collection Drum Size.....	27 Gallons

Impeller Information

Impeller Type.....	Aluminum Radial Fin
Impeller Size.....	13-1/2 in.
Impeller Blade Thickness.....	0.16 in.

Construction

Upper Bag.....	Clear Plastic (Filter)
Lower Bag.....	Clear Plastic (Drum)
Canister.....	Spun Bond Polyester
Base.....	Steel
Frame.....	Steel
Caster.....	Rubber
Impeller.....	Aluminum
Paint Type/Finish.....	Powder Coated
Blower Housing.....	Steel
Body.....	Steel
Collection Drum.....	Steel

Other Specifications:

Country of Origin	Taiwan
Warranty	1 Year
Approximate Assembly & Setup Time	1.5 Hours
Serial Number Location	Machine ID Label
Sound Rating	74 dB
ISO 9001 Factory	Yes

Features:

- Wireless Remote Control
- Compact, Portable Design
- Rolling Collection Drum with Quick-Release Handle
- Steel Stand with Rubber Casters
- MERV-17 HEPA Canister Filter with Collection Capacity of 99.97% of 0.3-Micron Particles
- Automatic Filter Cleaning
- Vacuum Pressure Gauge